



T9/79/80 - Stamp-Formed Series - 450LB

- Stamp-formed body for attractive appearance
- This series includes Total Lock, matching Swivel and Rigid
- 8" Rigid caster available with plate welded at 90° angle
- NSF listed

79PP60JK0406-0V0000

79TP80HT5106-0000Z0

80TP80HT510690

T9BL60JL6376YY

80TP80HI5306YY



T9/79/80 SERIES • CAPACITY 450

Overall Height and Swivel Radius

Wheel Diameter	Denotation Code	Overall Height	Swivel Radius	
			79 series	T9 series
4"	40	5-1/4"	3-1/4"	4-5/8"
5"	50	6-1/4"	4"	4-5/8"
6"	60	7-1/2"	4-5/8"	4-5/8"
8"	80	9-1/2"	5-7/8"	N/A

Fastening Patterns

Plate Code	Overall Size	Bolt Hole Pattern	Mounting Bolt Size
06	2-3/8" x 3-5/8"	1-3/4" X 2-7/8" slotted to 3"	5/16"
11	3-1/8" x 4-1/8"	1-3/4" x 2-15/16" to 2-3/8" x 3-3/8"	3/8"
17	4" x 4-15/32"	2-5/8" x 3-5/8" to 3" x 3"	3/8"
MS	3-1/8" x 3-3/4"	1-5/8" x 3 to 2-5/16" x 3-1/8"	5/16"
Stem Code	Size	Pattern	
68	1/2" - 13 x 1-1/2"	Threaded	
70	1/2" - 13 x 2-3/4"		

Round Expandable Adapter Stem

Stem Code	Expandable Range	Fits Tubing I.D.
71	0.720" - 0.851"	3/4"
72	0.852" - 0.927"	7/8"
7B	0.900" - 0.980"	15/16"
73	0.928" - 1.029"	1"
7A	1.020" - 1.109"	1-1/16"
74	1.110" - 1.180"	1-1/8"
78	1.178" - 1.303"	1-3/16"
75	1.360" - 1.425"	1-3/8"
76	1.426" - 1.589"	1-1/2"
77	1.790" - 1.850"	1-7/8"

Square Expandable Adapter Stem

	Expandable Range	Fits Tubing I.D.
R1	0.720" - 0.851"	3/4"
R2	0.852" - 0.927"	7/8"
R3	0.928" - 1.029"	1"
R4	1.030" - 1.140"	1-1/8"
R5	1.360" - 1.425"	1-3/8"
R6	1.426" - 1.589"	1-1/2"
R7	1.790" - 1.850"	1-7/8"
U2	0.852" - 0.927"	7/8"
U5	1.360" - 1.425"	1-3/8"

Modular Stem				
Stem Code	Size	Stem Type	Modular Part #	
ZZ	1/2" diameter	Hollow Kingpin		
E1	Additional Adjustable Height 1.750" - 2.375"		07STAE1	
E2	Additional Adjustable Height 1.875" - 2.500"		07STAE2	
E3	Additional Adjustable Height 3.500" - 4.125"		07STAE3	
E4	Additional Adjustable Height 3.500" - 5.000"		07STAE4	
F1	Additional Adjustable Height 1.750" - 2.375"		07STAF1	
F2	Additional Adjustable Height 1.875" - 2.500"		07STAF2	
F3	Additional Adjustable Height 3.500" - 4.125"		07STAF3	
F4	Additional Adjustable Height 3.500" - 5.000"		07STAF4	
B1	Additional Adjustable Height 1.875" - 3.000"	To fit 1-1/2" I.D. Round Tubing	07STGB1	
92	5/8" x 2-3/16"	Grip Ring Stem	09STA92	
93	13/16" x 2-3/16"		07STG93	
48	0.865" x 2-1/4" dual rings		07STG48	
85	1" x 2-3/16" dual rings		07STG85	
82	1-1/8" x 2-3/16" dual rings		07STG82	
22	1-1/4" x 2-3/16" dual rings		07STG22	
23	1-3/8" x 2-3/16" dual rings		07STG23	
O1	1-1/4" x 4", 7/16" dia. crx drill, 2.5" from bottom	Round	07STRO1	
43	9/16" x 2.92", 2 x 5/16" dia. crx drill	Square Stem	07STS43	
51	3/4" x 2", 3 x 1/4" dia. crx drill		07STS51	
55	7/8" x 2", 3 x 5/16" dia. crx drill	Square Stem, crx. Sec. 1.087"	07STS55	
56	7/8" x 2", 3 x 1/4" dia. crx drill	Square Stem, crx. Sec. 0.983"	07STS56	
41	7/8" x 2-1/4", 5/16" dia. crx drill, with Grip Ring	Square Stem	07STO41	
Q1	1" x 4"		07STSQ1	
33	7/16" - 14 x 1-1/2"	Threaded	07STT33	
79	7/16" -14 x 2-1/4"		07STT79	
C8	1/2" - 13 x 3-1/8"		07STTC8	
C1	1/2" - 13 x 4"		07STTC1	
80	5/8" - 11 x 1"		07STT80	
81	5/8" - 11 x 1-3/4"		07STT81	
C2	5/8" - 11 x 4"		07STTC2	
87	3/4" - 10 x 1-3/4"		07STT87	
84	3/4" - 10 x 4"		07STT84	
C3	3/4" - 10 x 6"		07STTC3	
S5	3/4" - 10 x 10		07STTS5	
M1	M10 - 1.5 x 1-1/2"		Metric Threaded	07STTM10
M3	M12-1.75 x 1-3/4"			07STTM12-134
M6	M16 - 2 x 1-1/2"	07STTM16-112		
M7	M20 - 2.5 x 1-3/4"	07STTM20-134		



T9/T91/80 SERIES • CAPACITY 450

Wheel Diameter	Tread Width	Wheel Type	Load Cap.	Available Bearing Options	Replace + with desired wheel color			+Color	
					Replace ## with desired wheel bearing				
					#T9 Series	#79	#80		
4"	1-1/2"	Yoke Only					79ZZ40HZ82**YY	80ZZ40HZ82**YY	
		Mold-On Rubber	350	03,6M,57,12		79RS40HB##**YY	80RS40HB##**YY		
		Thermo-Pro™	281	03,6M,57,12		79TP40HI##**YY	80TP40HI##**YY		
		Polyolefin	400	03,6M,57,12		79PO40HB##**YY	80PO40HB##**YY		
		Phenolic	450	03,6M,57,12		79PH40HB##**YY	80PH40HB##**YY		
		High-Temp Phenolic	400	03		79HT40HQ##**YY	80HT40HQ##**YY		
		Sterollizer™	350			79BF40HC61**YY	80BF40HC61**YY		
						79SL40HC61**YY	80SL40HC61**YY		
		Polyon AL™	450	03,6M,57,12		79PA40H+##**YY	80PA40H+##**YY	N,R	
		Poly-Pro™	400	03,6M,57,12		79PP40H+##**YY	80PP40H+##**YY	D,K,U	
		Polyon™	450	03,6M,57,12		79PU40H+##**YY	80PU40H+##**YY	G,V	
		EnergySaver Polyon™	450			79SW40HU03**YY	80SW40HU03**YY		
		BrimStone™	450	03,90		79GN40H+##**YY	80GN40H+##**YY	B,Q	
		Epoxy	450			79OV40H+90**YY	80OV40H+90**YY	G,Q	
4"	1-13/16"	Solid Steel V-Groove	450			79SV40IT14**YY	80SV40IT14**YY		
4"	2"	Yoke Only				T9ZZ40JZ83**YY	79ZZ40JZ83**YY	80ZZ40JZ83**YY	
		Neo-Energizer™	450	04,09,60,48,57,12		T9EN40JB##**YY	79EN40JB##**YY	80EN40JB##**YY	
		Nomadic™	400	04,09,60,48,57,12		T9NM40J+##**YY	79NM40J+##**YY	80NM40J+##**YY	A,I
		Rubber on Nylon	400	04,09,60,48,57,12		T9NR40JB##**YY	79NR40JB##**YY	80NR40JB##**YY	
		Rubber on Aluminum	400	04,09,60,48,57,12		T9RA40JB##**YY	79RA40JB##**YY	80RA40JB##**YY	
		Low Profile Rubber	300	04,09,60,48,57,12		T9LP40JB##**YY	79LP40JB##**YY	80LP40JB##**YY	
		Mold-On Rubber	400	04,09,60,48,57,12		T9RS40JB##**YY	79RS40JB##**YY	80RS40JB##**YY	
		Blue Ergo™	400			T9BL40JL63**YY	79BL40JL63**YY	80BL40JL63**YY	
		Thermo-Pro™	300	04,09,60,63,48,57,12		T9TP40J+##**YY	79TP40J+##**YY	80TP40J+##**YY	A,I,T,Y
		Xtreme Wheel	200	02		T9LS40JA62**YY	79LS40JA62**YY	80LS40JA62**YY	
		Polyolefin	450	04,09,60,63,48,57,12		T9PO40J+##**YY	79PO40J+##**YY	80PO40J+##**YY	B,E
		Nylon	450	04,09,60,48,57,12		T9NY40JE##**YY	79NY40JE##**YY	80NY40JE##**YY	
		Ironman™	450	04,09,60,48,65,73,12		T9NX40JB##**YY	79NX40JB##**YY	80NX40JB##**YY	
		RokHard™	450	04,09,62,57,12		T9HI40JB##**YY	79HI40JB##**YY	80HI40JB##**YY	
		BrimStone™	450	04,09,90		T9GN40J+##**YY	79GN40J+##**YY	80GN40J+##**YY	B,Q
		Epoxy	450	04,09,90		T9OV40JQ##**YY	79OV40JQ##**YY	80OV40JQ##**YY	
		MaxRok™	450	04,09,49,57,12		T9MA40JB##**YY	79MA40JB##**YY	80MA40JB##**YY	
		Phenolic	450	04,09,60,48,57,12		T9PH40JB##**YY	79PH40JB##**YY	80PH40JB##**YY	
		Phenolic Straight Sided	450	04,09,60,57,12		T9PH40TB##**YY	79PH40TB##**YY	80PH40TB##**YY	
		High-Temp Phenolic	450	04,09,90		T9HT40JQ##**YY	79HT40JQ##**YY	80HT40JQ##**YY	
		Polyon MaxRok™	450	04,09,60,48,57,12		T9MU40J+##**YY	79MU40J+##**YY	80MU40J+##**YY	G,K
		Polyon AL™	450	04,09,60,48,57,12		T9PA40J+##**YY	79PA40J+##**YY	80PA40J+##**YY	N,R
		DW-Black	450			T9DW40JLT3**YY	79DW40JLT3**YY	80DW40JLT3**YY	
		DW-Red	450			T9DW40JRT3**YY	79DW40JRT3**YY	80DW40JRT3**YY	
		DW-Blue	450			T9DW40JBT3**YY	79DW40JBT3**YY	80DW40JBT3**YY	
		DW-Gray	450			T9DW40JGT3**YY	79DW40JGT3**YY	80DW40JGT3**YY	
		Poly-Pro™	450	04,09,60,62,48,57,12		T9PP40J+##**YY	79PP40J+##**YY	80PP40J+##**YY	D,K,M,U,W
			450			T9PP40JP49**YY	79PP40JP49**YY	80PP40JP49**YY	
		Polymadic™	450	04,09,60,49,48,57,12		T9PM40J+##**YY	79PM40J+##**YY	80PM40J+##**YY	I,M
		Polyon™	450			T9PU40JV63**YY	79PU40JV63**YY	80PU40JV63**YY	
			450	04,09,60,48,57,12		T9PU40J+##**YY	79PU40J+##**YY	80PU40J+##**YY	G,V
		EnergySaver Polyon™	450	04,09,60,48,57,12		T9SW40JU##**YY	79SW40JU##**YY	80SW40JU##**YY	
		PolyFlexon™ Cast	450	04,09,60,48,57,12		T9RP40JK##**YY	79RP40JK##**YY	80RP40JK##**YY	
		PolyFlexon™	450			T9UA40JO64**YY	79UA40JO64**YY	80UA40JO64**YY	
		Ultraflex™	450			T9UX40JO63**YY	79UX40JO63**YY	80UX40JO63**YY	
		DuraLastomer™	450	09,60,48,57,12		T9SU40JL##**YY	79SU40JL##**YY	80SU40JL##**YY	
		Super Elastomer	450			T9SX40JI64**YY	79SX40JI64**YY	80SX40JI64**YY	
		ErgoLastomer™	450	04,09,64,57,12		T9HU40JI##**YY	79HU40JI##**YY	80HU40JI##**YY	
		Ironman™ V-Groove	450			T9NV40JT4P**YY	79NV40JT4P**YY	80NV40JT4P**YY	
		MaxRok™ V-Groove	450	04,09,60,48,57,12		T9MV40JT##**YY	79MV40JT##**YY	80MV40JT##**YY	
Iron V-Groove	450	04,09,60,48,57,12		T9VG40JT##**YY	79VG40JT##**YY	80VG40JT##**YY			
Conductive Ultraflex™	450			T9CX40JL63**YY	79CX40JL63**YY	80CX40JL63**YY			



Wheel Diameter	Tread Width	Wheel Type	Load Cap.	Available Bearing Options	Replace + with desired wheel color			+Color
					Replace ## with desired wheel bearing			
					#T9 Series	#79	#80	
5"	1-1/2"	Yoke Only				79ZZ50HZ82**YY	80ZZ50HZ82**YY	
		Mold-On Rubber	350	03,6M,57,12		79RS50HB###**YY	80RS50HB###**YY	
		Thermo-Pro™	300	03,6M,57,12		79TP50HI###**YY	80TP50HI###**YY	
		Polyolefin	450	03,6M,57,90,12		79PO50HB###**YY	80PO50HB###**YY	
		Phenolic	450	03,6M,57,90,12		79PH50HB###**YY	80PH50HB###**YY	
		Polyon AL™	450	03,6M,57,12		79PA50H+###**YY	80PA50H+###**YY	N,R
		Poly-Pro™	450	03,6M,57,12		79PP50H+###**YY	80PP50H+###**YY	D,K,S,U
		Polyon™	450	03, 6M, 57, 12		79PU50H+###**YY	80PU50H+###**YY	G,V
		EnergySaver Polyon™	450	03, 6M, 57, 12		79SW50HU###**YY	80SW50HU###**YY	
		BrimStone™	450	03,90		79GN50HQ###**YY	80GN50HQ###**YY	
5"	2"	Yoke Only			T9ZZ50JZ83**YY	79ZZ50JZ83**YY	80ZZ50JZ83**YY	
		Neo-Energizer™	450	04,09,60,48,57,12	T9EN50JB###**YY	79EN50JB###**YY	80EN50JB###**YY	
		Nomadic™	450	04,09,60,48,57,12	T9NM50J+###**YY	79NM50J+###**YY	80NM50J+###**YY	A,I
		Rubber on Nylon	450	04,09,60,48,57,12	T9NR50JB###**YY	79NR50JB###**YY	80NR50JB###**YY	
		Rubber on Aluminum	450	04,09,60,48,57,12	T9RA50JB###**YY	79RA50JB###**YY	80RA50JB###**YY	
		Mold-On Rubber	400	04,09,60,48,57,12	T9RS50JB###**YY	79RS50JB###**YY	80RS50JB###**YY	
		Blue Ergo™	400		T9BL50JL63**YY	79BL50JL63**YY	80BL50JL63**YY	
		CushEndure™	400		T9GR50JB19**YY	79GR50JB19**YY	80GR50JB19**YY	
		Thermo-Pro™	350	04,09,60,48,57,12	T9TP50J+###**YY	79TP50J+###**YY	80TP50J+###**YY	A,I,T,X,Y,Z
		Xtreme Wheel	250	03	T9LS50JA62**YY	79LS50JA62**YY	80LS50JA62**YY	
		Polyolefin	450	04,09,60,48,57,12	T9PO50J+###**YY	79PO50J+###**YY	80PO50J+###**YY	B,E
		Nylon	450	04,09,60,48,57,12	T9NY50JE###**YY	79NY50JE###**YY	80NY50JE###**YY	
		Ironman	450	65,73	T9NX50J+###**YY	79NX50J+###**YY	80NX50J+###**YY	B,I
		RokHard™	450	04,09,62,57,12	T9HI50JB###**YY	79HI50JB###**YY	80HI50JB###**YY	
		BrimStone™	450	04,09,90	T9GN50J+###**YY	79GN50J+###**YY	80GN50J+###**YY	B,Q
		Epoxy	450	04,09,90	T9OV50JQ###**YY	79OV50JQ###**YY	80OV50JQ###**YY	
		MaxRok™	450	04,09,63,49,57,12	T9MA50JB###**YY	79MA50JB###**YY	80MA50JB###**YY	
		Phenolic	450	04,09,60,48,57,12	T9PH50JB###**YY	79PH50JB###**YY	80PH50JB###**YY	
		High-Temp Phenolic	450	04,09,90	T9HT50JQ###**YY	79HT50JQ###**YY	80HT50JQ###**YY	
		Sterollizer™	450		T9SL50JCB8**YY	79SL50JCB8**YY	80SL50JCB8**YY	
		Polyon MaxRok™	450	04,09,60,63,48,57,12	T9MU50J+###**YY	79MU50J+###**YY	80MU50J+###**YY	G,K
		Polyon AL™	450	04,09,60,48,57,12	T9PA50J+###**YY	79PA50J+###**YY	80PA50J+###**YY	N,R
		Polyon - C	450	04,09,60,48,57,12	T9PR50JL###**YY	79PR50JL###**YY	80PR50JL###**YY	
		DW-Black	450		T9DW50JLT3**YY	79DW50JLT3**YY	80DW50JLT3**YY	
		DW-Red	450		T9DW50JRT3**YY	79DW50JRT3**YY	80DW50JRT3**YY	
		DW-Blue	450		T9DW50JBT3**YY	79DW50JBT3**YY	80DW50JBT3**YY	
		DW-Gray	450		T9DW50JGT3**YY	79DW50JGT3**YY	80DW50JGT3**YY	
		Poly-Pro™	450	04,09,48,60,63,57,12	T9PP50J+###**YY	79PP50J+###**YY	80PP50J+###**YY	B,C,D,K,U,M,W
			450		T9PP50JP49**YY	79PP50JP49**YY	80PP50JP49**YY	
					T9PP50JH63**YY	79PP50JH63**YY	80PP50JH63**YY	
		Polymadic™	450	04,09,48,60,63,57,12	T9PM50J+###**YY	79PM50J+###**YY	80PM50J+###**YY	I,M
		Polyon™	450		T9PU50JV63**YY	79PU50JV63**YY	80PU50JV63**YY	
			450	04,09,60,48,57,12	T9PU50J+###**YY	79PU50J+###**YY	80PU50J+###**YY	G,V
		EnergySaver Polyon™	450	04,09,60,48,57,12	T9SW50JU###**YY	79SW50JU###**YY	80SW50JU###**YY	
		PolyFlexon™ Cast	450	04,09,60,48,57,12	T9RP50JK###**YY	79RP50JK###**YY	80RP50JK###**YY	
		PolyFlexon™	450		T9UA50JO64**YY	79UA50JO64**YY	80UA50JO64**YY	
		Ultraflex™	450		T9UX50JO64**YY	79UX50JO64**YY	80UX50JO64**YY	
		D-Polyon	450		T9UD50JL64**YY	79UD50JL64**YY	80UD50JL64**YY	
		DuraLastomer™	450	09,60,48,57,12	T9SU50JL###**YY	79SU50JL###**YY	80SU50JL###**YY	
		Super Elastomer	450	04,09,64,57,12	T9SX50JI###**YY	79SX50JI###**YY	80SX50JI###**YY	
ErgoLastomer™	450	04,09,64,57,12	T9HU50JI###**YY	79HU50JI###**YY	80HU50JI###**YY			
Conductive Nylon	450	04,09,60,48,57,12	T9CY50JH###**YY	79CY50JH###**YY	80CY50JH###**YY			
Conductive Ultraflex™	450		T9CX50JL64**YY	79CX50JL64**YY	80CX50JL64**YY			



T9/T91/80 SERIES • CAPACITY 450

Wheel Dia.	Tread Width	Wheel Type	Load Cap.	Available Bearing Options	Replace + with a desired wheel color			+Color	
					Replace ## with desired wheel bearing				
					#T9 Series	#79	#80		
6"	1-1/2"	Yoke Only					79ZZ60HZ83**YY	80ZZ60HZ83**YY	
		Mold-On Rubber	450	03,6M,57,12		79RS60HB##**YY	80RS60HB##**YY		
		Thermo-Pro™	375	03,6M,57,12		79TP60HI##**YY	80TP60HI##**YY		
		Polyolefin	400	03,6M,57,12		79PO60H+##**YY	80PO60H+##**YY	B,E	
		Phenolic	450	03,6M,57,12		79PH60HB##**YY	80PH60HB##**YY		
		Polyon AL™	450	03,6M		79PA60H+##**YY	80PA60H+##**YY	N,R	
		Poly-Pro™	450	03,6M,57,12		79PP60H+##**YY	80PP60H+##**YY	K,T,U	
		Polyon™	450	03,6M,57,12		79PU60H+##**YY	80PU60H+##**YY	G,V	
		EnergySaver Polyon™	450	03,6M,57,12		79SW60HU##**YY	80SW60HU##**YY		
6"	2"	Yoke Only				T9ZZ60JZ83**YY	79ZZ60JZ83**YY	80ZZ60JZ83**YY	
		Neo-Energizer™	450	04, 09,64, 57, 12	T9EN60JB##**YY	79EN60JB##**YY	80EN60JB##**YY		
		Pneumatic	200		T9FP60JB60**YY	79FP60JB60**YY	80FP60JB60**YY		
		Foam Filled	200		T9FF60JB60**YY	79FF60JB60**YY	80FF60JB60**YY		
		Ever-Roll™	200		T9ER60J+60**YY	79ER60J+60**YY	80ER60J+60**YY	B,I	
		Nomadic™	450	04,09,48,60,57,12	T9NM60JB##**YY	79NM60JB##**YY	80NM60JB##**YY	A,I	
		Rubber on Nylon	450	04,09,48,60,57,12	T9NR60JB##**YY	79NR60JB##**YY	80NR60JB##**YY		
		Dura Cushion™	350	04,09,63,57,12	T9BC60J+##**YY	79BC60J+##**YY	80BC60J+##**YY	X,Z	
		Eco-Rubber	350		T9SN60JB53**YY	79SN60JB53**YY	80SN60JB53**YY		
		Rubber on Aluminum	450	04,09,48,60,57,12	T9RA60JB##**YY	79RA60JB##**YY	80RA60JB##**YY		
		Mold-On Rubber	450	04,09,48,60,57,12	T9RS60JB##**YY	79RS60JB##**YY	80RS60JB##**YY		
		Supreme Rubber	450	04,09,48,60,57,12	T9RH60JS##**YY	79RH60JS##**YY	80RH60JS##**YY		
		Blue Ergo™	450		T9BL60JL63**YY	79BL60JL63**YY	80BL60JL63**YY		
		Thermo-Pro™	450	04,09,60,63,48,57,12	T9TP60J+##**YY	79TP60J+##**YY	80TP60J+##**YY	A,I,T,X,Y,Z	
		Xtreme Wheel	350	04	T9LS60JA62**YY	79LS60JA62**YY	80LS60JA62**YY		
		Polyolefin	450	04,09,60,53,P3,48,57,12	T9PO60J+##**YY	79PO60J+##**YY	80PO60J+##**YY	B,E	
		Nylon	450	04,09,63,57,12	T9NY60JE##**YY	79NY60JE##**YY	80NY60JE##**YY		
		Ironman	450	65, 73	T9NX60JB##**YY	79NX60JB##**YY	80NX60JB##**YY		
		RokHard™	450	04,09,48,60,57,12	T9HI60JB##**YY	79HI60JB##**YY	80HI60JB##**YY		
		BrimStone™	450	04,09,60,90	T9GN60J+##**YY	79GN60J+##**YY	80GN60J+##**YY	B,Q	
		Epoxy	450	04,09,90	T9OV60JQ##**YY	79OV60JQ##**YY	80OV60JQ##**YY		
		MaxRok™	450	04,09,63,57,12	T9MA60JB##**YY	79MA60JB##**YY	80MA60JB##**YY		
		Phenolic	450	04,09,48,60,57,12	T9PH60JB##**YY	79PH60JB##**YY	80PH60JB##**YY		
		Straight-Sided Phenolic	450		T9PH60TB##**YY	79PH60TB##**YY	80PH60TB##**YY		
		High-Temp Phenolic	450	04,09,90	T9HT60JQ##**YY	79HT60JQ##**YY	80HT60JQ##**YY		
		Poly MaxRok™	450	04,09,48,60,57,12	T9MU60J+##**YY	79MU60J+##**YY	80MU60J+##**YY	G,K	
		Polyon AL™	450	04,09,48,60,57,12	T9PA60J+##**YY	79PA60J+##**YY	80PA60J+##**YY	N,R	
		Polyon-C	450	04,09,48,60,57,12	T9PR60JL##**YY	79PR60JL##**YY	80PR60JL##**YY		
		DW-Black	450		T9DW60JLT3**YY	79DW60JLT3**YY	80DW60JLT3**YY		
		DW-Red	450		T9DW60JRT3**YY	79DW60JRT3**YY	80DW60JRT3**YY		
		DW-Blue	450		T9DW60JBT3**YY	79DW60JBT3**YY	80DW60JBT3**YY		
		DW-Gray	450		T9DW60JGT3**YY	79DW60JGT3**YY	80DW60JGT3**YY		
		DW-CROWN-Red	1300		T9DW60XRT3**YY	79DW60XRT3**YY	80DW60XRT3**YY		
		DW-CROWN-Blue	1300		T9DW60XLT3**YY	79DW60XLT3**YY	80DW60XLT3**YY		
		Poly-Pro™	450	04,09,48,60,63,57,12	T9PP60J+##**YY	79PP60J+##**YY	80PP60J+##**YY	D,I,K,M,U,W	
			450		T9PP60JP49**YY	79PP60JP49**YY	80PP60JP49**YY		
		Polymadic™	450	04,09,48,60,63,57,12	T9PP60JH63**YY	79PP60JH63**YY	80PP60JH63**YY		
					T9PM60J+##**YY	79PM60J+##**YY	80PM60J+##**YY	I,M	
		Polyon™	450	04,09,48,60,57,12	T9PU60JV63**YY	79PU60JV63**YY	80PU60JV63**YY		
					T9PU60J+##**YY	79PU60J+##**YY	80PU60J+##**YY	G,V	
		EnergySaver Polyon™	450	04,09,63,57,12	T9SW60JU##**YY	79SW60JU##**YY	80SW60JU##**YY		
		PolyFlexon™ Cast	450	04,09,63,57,12	T9RP60JK##**YY	79RP60JK##**YY	80RP60JK##**YY		
PolyFlexon™	450		T9UA60J+64**YY	79UA60J+64**YY	80UA60J+64**YY	N,O			
D-Polyon	450		T9UD60JL64**YY	79UD60JL64**YY	80UD60JL64**YY				
Ultraflex™	450		T9UX60J+64**YY	79UX60J+64**YY	80UX60J+64**YY	M,O			
Champion	450		T9CP60JN64**YY	79CP60JN64**YY	80CP60JN64**YY				
DuraLastomer™	450	09,48,60,57,12	T9SU60JL##**YY	79SU60JL##**YY	80SU60JL##**YY				
Super Elastomer	450		T9SX60JI64**YY	79SX60JI64**YY	80SX60JI64**YY				
ErgoLastomer™	450	04,09,48,60,64,57,12	T9HU60JI##**YY	79HU60JI##**YY	80HU60JI##**YY				
Titan™ Ploymer	450		T9PX60JO63**YY	79PX60JO63**YY	80PX60JO63**YY				
Conductive Nylon	450		T9CY60JI62**YY	79CY60JI62**YY	80CY60JI62**YY				
Conductive Ultraflex™	450		T9CX60JL64**YY	79CX60JL64**YY	80CX60JL64**YY				
8"	1-1/2"	Yoke Only				79ZZ80HZ8306YY	80ZZ80HZ8306YY		
		Thermo-Pro™	400			79TP80H+5306YY	80TP80H+5306YY	I,T	
		Poly-Pro™	400			79PP80H+5306YY	80PP80H+5306YY	I,T	
		Rubber on Aluminum	400			79RA80PB5306YY	80RA80PB5306YY		
8"	1-1/2"	Yoke Only					80ZZ80HZ800690		
		Thermo-Pro™	400				80TP80H+530690	I,T	
		Poly-Pro™	400				80PP80H+530690	I,T	
		Rubber on Aluminum	400				80RA80PB530690		

*The Ever-Roll is not designed to sit with load.