

MOLD-ON RUBBER

- Vulcanized rubber tread on cast iron core
- Temperature range: -40° F to +180° F
- Durometer: Shore A 80 (+/- 5)



Wheel Diameter	Tread Width	Hub Length	Load Capacity	Hub Design Type	Bore I.D.	Replace ** with desired bearings code				Part Number
						Roller BRG	Delrin BRG	Sealed Ball BRG	Bronze BRG	
4"	1-1/2"	1-5/8"	350	C	1-3/16"					RS40HB84
		1-7/8"			1/2"	92	56, 12			RS40HG**
					5/8"	01		6M		
					3/4"	03	57, 11			
4"	2"	2-3/16"	400	C	1-3/16"					RS40JB84
		2-7/16"			1/2"	92	56, 12	60		RS40JB**
					5/8"	02				
					3/4"	04, 09	57, 11		B1, B5	
5"	1-1/2"	1-5/8"	350	C3	1-3/16"					RS50HB84
		1-7/8"			1/2"	92	56, 12	6M		RS50HG**
					5/8"	01				
					3/4"	03	57, 11			
5"	2"	2-3/16"	400	S3	1-3/16"					RS50JB84
		2-7/16"			1/2"	92	56, 12	60		RS50JB**
					5/8"	02				
					3/4"	04, 09	57, 11		B1, B5	
6"	1-1/2"	1-5/8"	350	S3	1-3/16"					RS60HB84
		1-7/8"			1/2"	92	56, 12	6M		RS60HG**
					5/8"	01				
					3/4"	03	57, 11			
6"	2"	2-3/16"	550	S3	1-3/16"					RS60JB84
		2-7/16"			1/2"	92	56, 12	60		RS60JB**
					5/8"	02				
					3/4"	04, 09	57, 11		B1, B5	
6"	2-1/2"	2-3/4"	600	C3	1-3/16"					RS60KB84
		3"			1/2"	92				RS60KB92
					3/4"	06				RS60KB06
6"	2-1/2"	2-3/4"	700	S3	1-15/16"					RS60KB85
		3"			3/4"	93		89		RS60KB**
					1"	23		B7		
					1-1/4"	25				
6"	2-1/2"	3-1/4"	700	C3	1-15/16"					RS60QB85
		3-1/2"			3/4"	93		69		RS60QB**
					1"	24	58	R1	B8	
					1-1/4"	26				
6"	3"	3-1/4"	750	S3	1-15/16"					RS60LB85
		3"			3/4"	93		69		RS60LB**
					1"	24	58	R1	B8	
					1-1/4"	26				



Wheel Diameter	Tread Width	Hub Length	Load Capacity	Hub Design Type	Bore I.D.	Replace ** with desired bearings code				Part Number
						Roller BRG	Delrin BRG	Sealed Ball BRG	Bronze BRG	
8"	2"	2-3/16"	600	S4	1-3/16"					RS80JB84
		2-7/16"			1/2"	92	56, 12	60		RS80JB**
					5/8"	02				
					3/4"	04, 09	57, 11		B1, B7	
8"	2"	2-7/16"	650	S4	1-7/16"				RS80JB87	
		7/8"			21				RS80JB21	
8"	2-1/2"	2-3/4"	600	C3	1-3/16"					RS80KB84
		3"			1/2"	92				RS80KB92
					3/4"	06				RS80KB06
8"	2-1/2"	2-3/4"	800	S3	1-15/16"					RS80KB85
		3"			3/4"	93		89		RS80KB**
					1"	23		77		
					1-1/4"	25				
8"	2-1/2"	3-1/4"	850	C3	1-15/16"					RS80QB85
		3-1/2"			3/4"	93		69		RS80QB**
					1"	24	58	R1	78	
					1-1/4"	26				
8"	3"	3-1/4"	900	S3	1-15/16"					RS80LB85
		3-1/2"			3/4"	93		69		RS80LB**
					1"	24	58	R1	78	
					1-1/4"	26				
10"	2"	2-3/16"	700	S5	1-3/16"					RS10JB84
		2-7/16"			1/2"	92	56, 12	60		RS10JB**
					5/8"	02				
					3/4"	04, 09	57, 11		B1, B7	
10"	2"	2-3/16"	750	S5	1-7/16"					RS10JB87
		7/8"			21				RS10JB21	
10"	2-1/2"	2-3/4"	1000	S5	1-3/16"					RS10KB84
		3"			1/2"	92				RS80KB92
					3/4"	06				RS80KB06
10"	2-1/2"	2-3/4"	1000	S5	1-15/16"					RS10KB85
		3"			3/4"	93		89		RS10KB**
					1"	23		77		
					1-1/4"	25				
10"	2-1/2"	3-1/4"	1000	S5	1-15/16"					RS10QB85
		3-1/2"			3/4"	93		69		RS10QB**
					1"	24	58	R1	78	
					1-1/4"	26				
10"	3"	3-1/4"	1100	S5	1-15/16"					RS10LB85
		3-1/2"			3/4"	93		69		RS10LB**
					1"	24	58	R1	78	
					1-1/4"	26				
10"	4"	4-1/4"	1200	S5	1-15/16"					RS10NB85
		4-9/16"			3/4"	93				RS10NB93
					1"	35				RS10NB35
					1-1/4"	37				RS10NB37
10"	4"	4-14"	1400	S5	2-7/16"					RS10NB86
		4-9/16"			1"	94				RS10NB94
					1-1/4"	31				RS10NB31
					1-1/2"	33				RS10NB33



Wheel Diameter	Tread Width	Hub Length	Load Capacity	Hub Design Type	Bore I.D.	Replace ** with desired bearings code				Part Number	
						Roller BRG	Delrin BRG	Sealed Ball BRG	Bronze BRG		
12"	2.5"	2-3/4"	1000	S5	1-3/16"					RS12KB84	
		3"			1/2"	92				RS12KB92	
					3/4"	06					RS12KB06
12"	2-1/2"	2-3/4"	1200	S5	1-15/16"					RS12KB85	
		3"			3/4"	93		89		RS12KB**	
					1"	23			77		RS12KB25
					1-1/4"	25					RS12QB85
12"	2-1/2"	3-1/4"	1200	S5	1-15/16"					RS12QB85	
		3-1/2"			3/4"	93		69		RS12QB**	
					1"	24	58	R1	78		RS12QB26
					1-1/4"	26					RS12LB85
12"	3"	3-1/4"	1300	S5	1-15/16"					RS12LB85	
		3-1/2"			3/4"	93		69		RS12LB**	
					1"	24	58	R1	78		RS12LB26
					1-1/4"	26					RS12MB86
12"	3-1/2"	4"	1400	C5	2-7/16"					RS12MB86	
						1-1/4"	31		74		RS12MB**
						1-1/2"	33				
12"	4"	4-1/4"	1500	C5	2-7/16"					RS12NB86	
						1-1/4"	31				RS12NB31
						1-1/2"	33				
12"	5"	5-1/4"	2100	C5	2-7/16"					RS12OB86	
						1-1/4"	32				RS12OB32
						1-1/2"	34				
14"	2-1/2"	2-3/4"	1200	S6	1-15/16"					RS14KB85	
		3"			3/4"	93		89		RS14KB**	
		3"			1"	23			77		RS114KB25
		3"			1-1/4"	25					RS14LB85
14"	3"	3-1/4"	1300	S6	1-15/16"					RS14LB85	
		3-1/2"			3/4"	93		69		RS14LB**	
					1"	24	58	R1	78		RS14LB26
					1-1/4"	26					RS16LB85
16"	3"	3-1/4"	1500	S6	1-15/16"					RS16LB85	
		3-1/2"			3/4"	93		69		RS16LB**	
					1"	24	58	R1	78		RS16LB26
					1-1/4"	26					RS16NB84
16"	4"	4-1/4"	2000	S6	2-7/16"					RS16NB84	
						1-1/4"	31				RS16NB31
						1-1/2"	33				
18"	3"	3-1/4"	1550	S6	1-15/16"					RS18LB85	
		3-1/2"			3/4"	93		69		RS18LB**	
					1"	24	58	R1	78		RS18LB26
					1-1/4"	26					

92 & 93 include the spanner.